


# ESC CLUTCH BAR DATASHEET

ESC-14GN CONNECTOR

GLOBAL  
PILING  
SOLUTIONS



## Applications

- 90° Corner connection.

## Profile Properties

Series	ESC-14GN
Steel Grades	S 355
Length	13.45m
Steel Thickness	9mm
Theoretical weight	17.6kg/m
Angular positions	~70 -110°, depending on the size of the Larssen sheet pile interlock.

## Features

- ESC clutch bars generally comply with the European standards and are manufactured in certified steel rolling and steel extrusion mills.
- All figures are approximate and may vary.
- Bar twists are possible up to 2mm per meter.
- Tolerance of steel thickness  $\pm 1$ mm.
- Length tolerance  $\pm 200$ mm.
- Degree details refer to the clutch bar axes.
- Designed as per DIN EN 12063.
- Please check the sheet pile interlocks with a physical sample section of the desired clutch bar for compatibility.

© Copyright—All Rights Reserved ESC Group  
Disclaimer

The information provided within this Guide is for general information purposes only, without any warranty. ESC shall not be held responsible for any errors, omissions or misuse of any of the information provided. ESC disclaims any and all liability resulting from the ability or inability to use the information within this document. Anyone using the information contained does so at their own risk. ESC shall not be held liable for any damages which includes any financial losses or incidental or consequential damages arising from the use of this information. The product range and content contained within is liable to change without notice.

## Get in Touch

+852 3956 1868  
escglobal@escpile.com  
www.escpile.com  
GLOBAL PILING SOLUTIONS

ESC App available now  
Scan QR Code or search for  
"ESC Group" or click on the  
links below

